


> DESCRIPTION OF INDIVIDUAL ELEMENTS



> LOADING OF A PAIR OF BEAMS [kg]

Beam length [mm]	12/10 52 x 85 L	12/10 52 x 105 L	12/10 52 x 125 L	15/10 52 x 125 M	18/10 52 x 125 S	20/10 52 x 125 SS
1200	4200	5550	6000			
1350	3800	5000	6000			
1400	3600	4800	6000			
1500	3400	4500	5600			
1800	2800	3700	4650			
2200	2150	3000	3800	4650	5450	6000
2700	1400	2300	3100	3800	4450	4850
2995	1050	1750	2600	3200	3750	4100
3300	850	1400	2150	2650	3100	3400
3600	700	1200	1800	2200	2600	2850

Also available in galvanised version.



Sophisticated pallet storage system with a robust design is a cost-effective solution for all types of storage units. The system is highly variable and is used to store pallets, from standardised EUR pallets to various atypical pallet types. The beams and frames are available in a wide range of dimensions and can be tailored to the required weight of the goods to be stored and the pallet unit type. The beams can be adjusted at 50-mm intervals, thus making use of the maximum storage capacity of the rack. The beams are painted in high-quality epoxy-polyester powder paint, cured at 200 °C, in standard colour shades, or if requested by the customer, the frames are galvanized.











BEGPAL PALLET RACKS



BRNO • PRAHA • OSTRAVA

Ledárenská 25, 620 00 Brno, phone: +420 537 036 612 Prague office, phone: +420 731 588 367 Ostrava office, phone: +420 739 328 954

e-mail: beg@beg.cz

www.beg.cz