



On the Czech market since 1996



BEGFLEX

SHELF RACKS

The BEGFLEX shelf rack offers an ideal solution for the assembly of rack systems for archives, libraries, registries and warehouses. Given the high adjustability of load-bearing capacities and sizes, we can utilise any space.

The BEGFLEX rack system features a very simple structure. It consists of two U-shaped webs that are connected to the frame with fixed partitions. The frames are perforated at 25-mm intervals, which guarantees a wide range of the shelf height adjustment. The shelves are fixed to the webs with hooks. This fixing method guarantees very simple, even subsequent adjustment of the shelf height.


We offer the BEGFLEX system in two material versions. The painted version has both shelves and frames painted in high-quality epoxy-polyester paint, cured at 200 °C, or the rack system is galvanised.

The system can be additionally fitted with a parting system or sheathing with a door, thus fully utilising the wide range of storage capacities of the system.

Thanks to high quality, rigidity and strength, these shelf racks can be supplied also in a mobile version.


Beam colour shades

RAL7035
grey



> CHARACTERISTICS

- > Modular system
- > Designed for storing small-sized /documentary materials
- > Screwless version
- > Height adjustable at 25-mm intervals
- > Maximum rack height of 4,000 mm
- > Shelf length of 770 / 870 / 970 / 1,070 / 1,170 / 1,270 mm
- > Shelf depth 300 / 350 / 400 / 500 / 600 / 700 mm
- > Maximum shelf load-bearing capacity of 70–390 kg
- > Possible assembly of multi-storey gallery




> USE

- > Archives, libraries, registries, warehouses, stores, offices

> ADVANTAGES



- > Easy installation
- > Easy adjustment
- > Modularity
- > High strength, stability and long lifetime
- > Wide range of accessories
- > Possible application as a mobile rack superstructure
- > We complete installation, servicing and periodical annual inspections



> STRUCTURE

- > Made from frames and shelves
- > Frame made from U-sections perforated at 25-mm intervals, connected with fixed crossbeams
- > Screwless fixing of shelves to frames using hooks
- > Shelves are squared three times

We will design and supply appropriate handling equipment for a specific project





BEGFLEX

SHELF RACKS



BRNO • PRAHA • OSTRAVA

Ledárenská 25, 620 00 Brno, phone: +420 537 036 612

Prague office, phone: +420 731 588 367

Ostrava office, phone: +420 739 328 954

e-mail: beg@beg.cz

www.beg.cz